

**MANUFACTURING BUILDING**

4958 Stout Drive

San Antonio, TX 78219

Phone (210) 255-4545

Fax (210) 255-4440

Fax Cover Sheet

CONFIDENTIALITY NOTICE: The documents accompanying this telecopy transmission contain confidential information which is legally privileged. The information is intended only for the use of the recipient named below. If you have received this telecopy in error, please immediately notify us by telephone, to arrange for return of the original documents to us, and you are hereby notified that any disclosure, copying distribution, or the taking of any action in reliance on the contents of this telecopied information is strictly prohibited.

DATE: June 23, 2003**TO:** Mail Stop STATUS REQUEST**FAX:** (703) 746-9195**FROM:** Eric W. Cernyar, Reg. No. 45,919**PHONE:** (210) 863-0063**Number of pages including cover sheet:** 4**RE:** 09/755,313 filed 12/27/2000; Inventors: Bolam et al.; TC/A.U.: 3764; Docket No.: EXT.462C1

Please find enclosed:

1. Request for Corrected Filing Receipt
2. Copy of Filing Receipt showing changes
3. Certificate of Transmission.

Mailing:
P.O. Box 659508
San Antonio, Texas 78265-9508
1-800-531-5369/Fax 210-255-4450

Corporate:
8023 Vantage Drive
San Antonio, Texas 78230-4726
(210) 524-9000

Manufacturing:
4958 Stout Drive
San Antonio, Texas 78219-4334
(210) 662-0215

Appl. No. : 09/755,313
Applicants : Bolam et al.
Filed : 12/27/2000
Title : Gradient Sequential Compression System for Preventing Deep Vein
Thrombosis
TC/A.U. : 3764
Examiner : tba
Docket No.: : EXT.462C1.US

OIPE Filing Receipt Corrections
Commissioner for Patents
Fax No. 703-746-9195

REQUEST FOR CORRECTED FILING RECEIPT

Dear OIPE:


Please correct the section entitled "Domestic Priority data as claimed by applicant" as follows:

-- This application is a DIV of 09/103,694 06/24/1998 ABN
Which is a CIP of 08/751,170 11/15/1996 PAT 5,951,502
Which is a CIP of ~~09/233,429 04/28/1994 PAT 5,454,700~~ 09/223,429 04/05/1994 PAT 5,575,762

~~(*) Data provided by applicant is not consistent with PTO records. --~~

A copy of the filing receipt with the changes noted thereon is submitted herewith. The requested changes are appropriate because the application explicitly claims priority to U.S. Patent No. 5,575,762, which issued from 09/223,429. A preliminary amendment is being filed concurrently herewith to change the "09/233,429" in the "Cross-References" section to "09/223,429."

Respectfully submitted,



Eric W. Cernyar
Reg. No. 45,919
(210) 863-0063

Oct-30-02 04:18pm From:ALSTON & BIRD LLP

704 444

T-093 P.004/005 F-017

OCT 23 2002



Received By

Commissioner for Patents
Washington, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO.	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/755,313	12/27/2000	3764	840	EXT.462C1	12	12	2

CONFIRMATION NO. 5018

UPDATED FILING RECEIPT

00000000008985811

000826
ALSTON & BIRD LLP
BANK OF AMERICA PLAZA
101 SOUTH TRYON STREET, SUITE 4000
CHARLOTTE, NC 28260-4000

Date Mailed: 10/22/2002

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Kenneth Michael Bolam, Charlotte, NC;
James Arthur Borgen, Matthews, NC;

Domestic Priority data as claimed by applicant

This application is a DIV of 09/103,694 06/24/1998 ABN
which is a CIP of 08/751,170 11/15/1996 PAT 5,951,502
which is a CIP of 08/223,429 04/26/1994 PAT 5,454,706
(*Data provided by applicant is not consistent with PTO records.

09/223,429 04/05/1994
PAT 5,575,762

Foreign Applications

If Required, Foreign Filing License Granted 02/16/2001

Projected Publication Date: 01/30/2003

Non-Publication Request: No

Early Publication Request: No

Title

Gradient sequential compression system for preventing deep vein thrombosis

PTO/SB/87 (05-03)

Approved for use through 04/30/2003. OMB 0851-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office

on 6-23-2003
Date

Eric W. Cernyar
Signature

Eric W. Cernyar
Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

Transmitting
Request for Corrected Filing Receipt
Copy of Filing Receipt Showing changes

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.